

PERINATAL, INFANT, AND MATERNAL DEATH HIGHLIGHTS

- In 1996, 46.6 percent of the reported fetal deaths occurred to mothers in the 20-29 age-group. (Table 23)
- In 1996, 73.6 percent of all fetal deaths weighed less than 2,500 grams, with a fetal death rate of 49.1 deaths per 1,000 total births. For comparison, in 1986, 77.4 percent of reported fetal deaths weighed 2,500 grams or less but died at a rate of 70.9 deaths per 1,000 total births. (Figure 21)
- Examining the components that constitute perinatal period III mortality, the numbers of fetal deaths and hebdomadal deaths declined 60.7 percent and 69.9 percent respectively from 1966 to 1996. In 1996, there were 336 perinatal period III deaths representing a death rate of 9.2 deaths per 1,000 total births. This rate has decreased 65.5 percent from the 1966 rate of 26.7. (Tables 24 and 25, Figure 22)
- A total of 299 infant deaths occurred to Kansas residents in 1996. The overall infant death rate for 1996 was 8.2 infant deaths per 1,000 live births, an increase of 18.8 percent from the infant death rate of 6.9 in 1995. For comparison, the 1996 rate (8.2) represents a 62.0 percent decrease from the infant death rate of 21.6 in 1966. The white infant death rate was 7.1 deaths per 1,000 live births in 1996, a decrease of 64.9 percent from the rate of 20.2 in 1966. The black infant death rate in 1996 was 22.9 deaths per 1,000 live births, a decrease of 40.5 percent from the rate of 38.5 in 1966. (Figure 23, Table 26)
- During the five-year period, 1992-1996, the infant death rate for Kansas was 8.0. Pawnee county had the highest infant death rate (22.9) during this time period while Marshall county had the lowest with an infant death rate of 1.9 per 1,000 live births. Thirteen counties had no infant deaths. (Table 27)
- Of all infant deaths, 41.5 percent were attributed to conditions originating in the perinatal period, 26.4 percent were attributed to congenital anomalies, 13.0 percent to sudden infant death syndrome and 19.1 percent to all other causes. (Table 28)
- The rate of maternal deaths for Kansas and the U.S. declined considerably between 1966 and 1996. The maternal death rate for Kansas in 1996 was 0.5 deaths per 10,000 live births, an 82.1 percent decrease from the 1966 rate of 2.8. (Figure 25)







TABLE 23
FETAL DEATHS BY AGE-GROUP OF MOTHER
BY COUNTY OF RESIDENCE
KANSAS, 1996

TABLE 23
FETAL DEATHS BY AGE-GROUP OF MOTHER
BY COUNTY OF RESIDENCE
KANSAS, 1996

County of Residence	Total	Age-Group of Mother								45 & Over	N.S.
		10-14	15-19	20-24	25-29	30-34	35-39	40-44			
Lyon.....	.4	-	-	1	-	1	2	-	-	-	
Marion.....	.3	-	-	-	3	-	-	-	-	-	
Marshall.....	-	-	-	-	-	-	-	-	-	-	
McPherson.....	.1	-	-	1	-	-	-	-	-	-	
Meade.....	-	-	-	-	-	-	-	-	-	-	
Miami.....	.2	-	-	-	-	2	-	-	-	-	
Mitchell.....	.2	-	-	-	-	1	-	1	-	-	
Montgomery.....	-	-	-	-	-	-	-	-	-	-	
Morris.....	.1	-	-	-	-	1	-	-	-	-	
Morton.....	-	-	-	-	-	-	-	-	-	-	
Nemaha.....	.1	-	-	-	-	-	-	1	-	-	
Neosho.....	.2	-	1	1	-	-	-	-	-	-	
Ness.....	-	-	-	-	-	-	-	-	-	-	
Norton.....	-	-	-	-	-	-	-	-	-	-	
Osage.....	.1	-	-	-	1	-	-	-	-	-	
Osborne.....	.1	-	-	-	-	-	1	-	-	-	
Ottawa.....	-	-	-	-	-	-	-	-	-	-	
Pawnee.....	.1	-	-	-	1	-	-	-	-	-	
Phillips.....	-	-	-	-	-	-	-	-	-	-	
Pottawatomie.....	.1	-	-	-	-	1	-	-	-	-	
Pratt.....	.1	-	-	1	-	-	-	-	-	-	
Rawlins.....	-	-	-	-	-	-	-	-	-	-	
Reno.....	.3	-	-	-	3	-	-	-	-	-	
Republic.....	-	-	-	-	-	-	-	-	-	-	
Rice.....	.4	-	1	2	-	-	-	1	-	-	
Riley.....	.4	-	1	-	2	1	-	-	-	-	
Rooks.....	-	-	-	-	-	-	-	-	-	-	
Rush.....	-	-	-	-	-	-	-	-	-	-	
Russell.....	-	-	-	-	-	-	-	-	-	-	
Saline.....	.3	-	-	-	2	1	-	-	-	-	
Scott.....	-	-	-	-	-	-	-	-	-	-	
Sedgwick.....	.31	-	5	5	7	9	4	-	-	1	
Seward.....	.5	-	1	2	1	-	1	-	-	-	
Shawnee.....	.16	-	2	3	3	5	3	-	-	-	
Sheridan.....	-	-	-	-	-	-	-	-	-	-	
Sherman.....	-	-	-	-	-	-	-	-	-	-	
Smith.....	-	-	-	-	-	-	-	-	-	-	
Stafford.....	-	-	-	-	-	-	-	-	-	-	
Stanton.....	.1	-	1	-	-	-	-	-	-	-	
Stevens.....	.1	-	-	-	1	-	-	-	-	-	
Sumner.....	.2	-	1	-	-	1	-	-	-	-	
Thomas.....	.1	-	-	1	-	-	-	-	-	-	
Trego.....	-	-	-	-	-	-	-	-	-	-	
Wabaunsee.....	.1	-	-	-	1	-	-	-	-	-	
Wallace.....	-	-	-	-	-	-	-	-	-	-	
Washington.....	-	-	-	-	-	-	-	-	-	-	
Wichita.....	-	-	-	-	-	-	-	-	-	-	
Wilson.....	.1	-	-	1	-	-	-	-	-	-	
Woodson.....	-	-	-	-	-	-	-	-	-	-	
Wyandotte.....	.16	-	7	3	3	-	3	-	-	-	

FETAL DEATH RATES BY SELECTED CHARACTERISTICS

KANSAS, 1996



RATES PER 1,000 TOTAL BIRTHS
RESIDENCE DATA

Figure 21

TABLE 24
PERINATAL PERIOD III DEATHS BY COMPONENT
KANSAS, 1966-1996

Year	Fetal Deaths	Hebdomadal Deaths	Perinatal Period III Deaths	
			Number	Rate**
1966.....	455	522	977	26.7
1967.....	430	482	912	25.8
1968.....	393	494	887	24.7
1969.....	456	480	936	24.9
1970.....	423	477	900	23.3
1971.....	380	506	886	24.3
1972.....	375	410	785	23.4
1973.....	355	342	697	21.6
1974.....	379	354	733	22.2
1975.....	341	304	645	18.9
1976.....	364	310	674	18.9
1977.....	308	335	643	17.3
1978.....	331	254	585	15.8
1979.....	330	260	590	15.0
1980.....	340	226	566	13.8
1981.....	316	264	580	14.0
1982.....	336	234	570	13.9
1983.....	296	202	498	12.2
1984.....	277	200	477	11.9
1985.....	274	184	458	11.5
1986.....	242	153	395	10.0
1987.....	253	179	432	11.2
1988.....	236	161	397	10.2
1989.....	240	138	378	9.7
1990.....	217	162	379	9.7
1991.....	205	158	363	9.6
1992.....	216	165	381	10.0
1993.....	222	171	393	10.5
1994.....	231	140	371	9.9
1995.....	183	134	317	8.5
1996.....	179	157	336	9.2

**Rate per 1,000 total births
Residence data

TABLE 25
PERINATAL PERIOD III DEATHS BY COMPONENT
BY COUNTY OF RESIDENCE
KANSAS, 1996

County of Residence	Total	Perinatal Period III Deaths		County of Residence	Total	Perinatal Period III Deaths	
		Fetal Deaths	Hebdomadal Deaths			Fetal Deaths	Hebdomadal Deaths
		Total					
Kansas.....	336	179	157				
Allen.....	1	1	-	Lyon.....	9	4	5
Anderson.....	-	-	-	Marion.....	3	3	-
Atchison.....	2	1	1	Marshall.....	-	-	-
Barber.....	-	-	-	McPherson.....	1	1	-
Barton.....	7	5	2	Meade.....	-	-	-
Bourbon.....	2	1	1	Miami.....	3	2	1
Brown.....	1	-	1	Mitchell.....	2	2	-
Butler.....	6	1	5	Montgomery.....	1	-	1
Chase.....	-	-	-	Morris.....	1	1	-
Chautauqua.....	-	-	-	Morton.....	-	-	-
Cherokee.....	3	2	1	Nemaha.....	2	1	1
Cheyenne.....	-	-	-	Neosho.....	2	2	-
Clark.....	1	-	1	Ness.....	-	-	-
Clay.....	1	1	-	Norton.....	-	-	-
Cloud.....	2	1	1	Osage.....	3	1	2
Coffey.....	-	-	-	Osborne.....	1	1	-
Comanche.....	-	-	-	Ottawa.....	-	-	-
Cowley.....	4	-	4	Pawnee.....	2	1	1
Crawford.....	1	-	1	Phillips.....	-	-	-
Decatur.....	1	-	-	Pottawatomie.....	2	1	1
Dickinson.....	1	1	-	Pratt.....	1	1	-
Doniphan.....	-	-	-	Rawlins.....	-	-	-
Douglas.....	10	6	4	Reno.....	7	3	4
Edwards.....	-	-	-	Republic.....	-	-	-
Elk.....	1	1	-	Rice.....	5	4	1
Ellis.....	2	1	1	Riley.....	6	4	2
Ellsworth.....	1	1	-	Rooks.....	-	-	-
Finney.....	8	5	3	Rush.....	-	-	-
Ford.....	3	1	2	Russell.....	-	-	-
Franklin.....	3	2	1	Saline.....	11	3	8
Geary.....	8	2	6	Scott.....	-	-	-
Gove.....	1	1	1	Sedgwick.....	60	31	29
Graham.....	1	-	1	Seward.....	6	5	1
Grant.....	-	-	-	Shawnee.....	26	16	10
Gray.....	2	2	-	Sheridan.....	-	-	-
Greeley.....	-	-	-	Sherman.....	-	-	-
Greenwood.....	1	-	1	Smith.....	-	-	-
Hamilton.....	-	-	-	Stafford.....	-	-	-
Harper.....	-	-	-	Stanton.....	1	1	-
Harvey.....	3	-	3	Stevens.....	1	1	-
Haskell.....	-	-	-	Sumner.....	2	2	-
Hodgeman.....	3	2	1	Thomas.....	2	1	1
Jackson.....	-	-	-	Trego.....	-	-	-
Jefferson.....	5	2	3	Wabaunsee.....	1	1	-
Jewell.....	1	-	-	Wallace.....	-	-	-
Johnson.....	45	22	23	Washington.....	-	-	-
Kearny.....	-	-	-	Wichita.....	-	-	-
Kingman.....	-	-	-	Wilson.....	1	1	-
Kiowa.....	1	-	1	Woodson.....	-	-	-
Labette.....	5	4	1	Wyandotte.....	31	16	15
Lane.....	-	-	-				
Leavenworth.....	6	3	3				
Lincoln.....	-	-	-				
Linn.....	-	-	-				
Logan.....	-	-	-				




Figure 22




Figure 23

TABLE 26
INFANT DEATH RATES*
BY RACE OF MOTHER
KANSAS, 1966-1996

Year	White			Black			Total Infant Death Rate: All Races**
	Live Births	Infant Deaths	Rate	Live Births	Infant Deaths	Rate	
1966	33,582	679	20.2	2,364	91	38.5	21.6
1967	32,369	592	18.3	2,251	89	39.5	19.8
1968	32,811	614	18.7	2,296	78	34.0	19.6
1969	34,465	593	17.2	2,406	88	36.6	18.4
1970	35,352	590	16.7	2,511	82	32.7	17.7
1971	33,172	611	18.4	2,466	81	32.8	19.4
1972	30,351	502	16.5	2,377	60	25.2	17.2
1973	29,328	431	14.7	2,214	62	28.0	15.5
1974	30,046	458	15.2	2,212	52	23.5	15.7
1975	30,980	408	13.2	2,226	53	23.8	13.9
1976	32,220	414	12.8	2,433	73	30.0	13.9
1977	33,657	411	12.2	2,577	64	24.8	13.0
1978	33,277	369	11.1	2,691	62	23.0	12.0
1979	35,315	360	10.2	2,918	60	20.6	11.0
1980	36,772	336	9.1	3,129	68	21.7	10.1
1981	37,253	374	10.0	3,030	67	22.1	11.0
1982	36,650	350	9.5	3,065	61	19.9	10.2
1983	36,424	349	9.6	2,971	50	16.8	10.1
1984	36,025	322	8.9	2,916	59	20.2	9.8
1985	35,551	308	8.7	2,890	44	15.2	9.1
1986	35,142	283	8.1	3,032	48	15.8	8.6
1987	34,371	279	8.1	3,068	65	21.2	9.2
1988	34,541	234	6.8	3,176	58	18.3	7.9
1989	34,387	278	8.1	3,235	52	16.1	8.8
1990	34,605	261	7.5	3,328	59	17.7	8.4
1991	33,404	269	8.1	3,154	63	20.0	9.0
1992	33,472	252	7.5	3,310	72	21.8	8.8
1993	32,896	242	7.4	3,230	76	23.5	8.7
1994	33,041	230	7.0	3,133	49	15.6	7.6
1995	32,964	201	6.1	2,867	51	17.8	6.9
1996	32,610	230	7.1	2,755	63	22.9	8.2

*Rate per 1,000 live births

**Other nonwhite data is not included in this table due to the small numbers but is available upon request.

Residence data

TABLE 27
INFANT DEATHS BY COUNTY OF RESIDENCE
KANSAS, 1992-1996

County of Residence	Year					Total Infant Deaths 1992-1996	Infant Death Rate* 1992-1996
	1992	1993	1994	1995	1996		
Kansas.....	332	325	285	256	299	1,497	8.0
Allen.....	1	2	1	-	-	4	4.6
Anderson.....	1	-	-	2	1	4	8.8
Atchison.....	5	3	1	1	1	6	5.7
Barber.....	7	2	-	-	-	2	6.8
Barton.....	6	7	7	3	4	27	14.1
Bourbon.....	4	4	-	-	1	9	9.4
Brown.....	1	-	1	1	2	5	7.3
Butler.....	6	8	5	4	11	34	9.4
Chase.....	-	-	-	-	-	-	-
Chautauqua.....	1	-	-	2	-	3	17.9
Cherokee.....	2	2	-	4	3	11	7.6
Cheyenne.....	-	-	-	-	-	-	-
Clark.....	-	-	1	-	1	2	15.5
Clay.....	5	2	-	-	-	2	3.9
Cloud.....	2	1	1	-	2	6	11.0
Coffey.....	-	1	-	1	-	2	3.8
Comanche.....	-	-	1	-	-	1	9.1
Cowley.....	6	4	4	4	4	22	9.2
Crawford.....	3	2	3	6	1	15	6.3
Decatur.....	-	-	-	-	1	1	-
Dickinson.....	3	2	1	4	-	10	8.6
Doniphan.....	-	-	1	-	-	1	2.2
Douglas.....	10	7	8	6	11	42	7.8
Edwards.....	-	1	1	-	-	2	10.1
Elk.....	-	-	1	-	-	1	7.5
Ellis.....	3	4	-	4	4	15	9.4
Ellsworth.....	-	-	-	-	1	1	3.7
Finney.....	3	4	4	5	7	23	5.5
Ford.....	4	3	6	5	2	20	6.9
Franklin.....	4	6	3	1	2	16	10.1
Geary.....	11	12	12	10	11	56	11.9
Gove.....	-	2	-	1	-	3	16.9
Graham.....	-	-	-	-	1	1	7.1
Grant.....	-	-	1	2	1	4	5.8
Gray.....	1	2	1	-	-	4	9.3
Greeley.....	-	-	-	-	-	-	-
Greenwood.....	-	1	1	-	1	3	7.6
Hamilton.....	-	-	-	-	-	-	-
Harper.....	-	-	-	1	-	1	2.9
Harvey.....	5	4	3	3	3	18	9.2
Haskell.....	1	-	1	-	-	2	5.3
Hodgeman.....	1	-	-	-	1	2	19.8
Jackson.....	3	1	1	2	-	7	8.7
Jefferson.....	2	3	1	3	5	14	14.2
Jewell.....	-	-	-	-	1	1	5.5
Johnson.....	38	26	28	32	38	162	5.5
Kearny.....	2	1	-	-	-	3	9.1
Kingman.....	2	1	1	1	-	5	10.2
Kiowa.....	4	-	-	1	1	3	13.6
Labette.....	1	-	2	-	3	6	4.2
Lane.....	-	1	-	1	-	2	15.6
Leavenworth.....	7	15	5	7	5	39	9.2
Lincoln.....	-	-	-	-	-	-	-
Linn.....	2	-	1	1	2	6	13.4
Logan.....	-	-	-	-	-	-	-

TABLE 27
INFANT DEATHS BY COUNTY OF RESIDENCE
KANSAS, 1992-1996

County of Residence	Year					Total Infant Deaths 1992-1996	Infant Death Rate* 1992-1996
	1992	1993	1994	1995	1996		
Lyon.....	1	4	4	2	5	16	6.3
Marion.....	2	-	1	-	-	3	4.1
Marshall.....	-	-	-	1	-	1	1.9
McPherson.....	5	2	5	2	1	15	9.1
Meade.....	-	-	1	1	1	3	9.2
Miami.....	3	2	3	2	3	13	8.0
Mitchell.....	-	-	-	-	1	1	2.9
Montgomery.....	6	-	6	5	2	19	8.6
Morris.....	-	1	1	-	-	2	5.1
Morton.....	-	-	-	-	-	-	-
Nemaha.....	-	2	1	2	1	6	8.9
Neosho.....	1	-	1	1	-	3	3.0
Ness.....	1	-	-	-	-	1	5.1
Norton.....	1	-	1	-	-	2	6.6
Osage.....	1	-	1	1	3	6	6.2
Osborne.....	-	-	-	-	-	-	-
Ottawa.....	-	1	-	-	-	1	3.2
Pawnee.....	1	2	3	1	2	9	22.9
Phillips.....	-	-	1	1	-	2	5.7
Pottawatomie.....	-	2	4	-	1	7	5.5
Pratt.....	2	-	2	1	1	6	10.8
Rawlins.....	-	1	-	-	-	1	7.1
Reno.....	6	7	9	5	9	36	9.2
Republic.....	-	-	-	-	-	-	-
Rice.....	4	1	1	1	1	8	13.2
Riley.....	6	5	5	5	4	25	5.2
Rooks.....	-	1	1	1	-	3	9.3
Rush.....	-	1	-	-	-	1	5.9
Russell.....	-	-	-	-	-	-	-
Saline.....	10	3	3	2	13	31	8.3
Scott.....	2	-	2	1	1	6	17.7
Sedgwick.....	77	80	77	46	55	335	9.2
Seward.....	4	4	1	4	2	15	7.0
Shawnee.....	13	18	12	26	25	94	8.1
Sheridan.....	1	-	-	-	-	1	7.4
Sherman.....	-	-	1	-	1	2	4.9
Smith.....	1	1	-	-	1	3	13.2
Stafford.....	-	3	-	-	-	3	11.7
Stanton.....	-	-	1	1	-	2	9.9
Stevens.....	-	-	-	1	1	2	5.0
Sumner.....	2	2	3	2	-	9	5.3
Thomas.....	-	-	2	1	1	4	7.0
Trego.....	1	1	-	-	-	2	13.0
Wabaunsee.....	1	1	-	-	-	2	5.2
Wallace.....	-	-	-	-	-	-	-
Washington.....	1	1	-	-	-	2	5.6
Wichita.....	-	1	-	-	-	1	5.2
Wilson.....	3	3	-	2	1	9	15.6
Woodson.....	-	-	-	-	-	-	-
Wyandotte.....	39	41	24	20	31	155	11.4

*Rate per 1,000 live births

TABLE 28
INFANT DEATHS BY CAUSE OF DEATH AND AGE-GROUP OF INFANT
KANSAS, 1996

Cause of Death (ICD Code)	Age-Group of Infant						
	Under 1 Day	1-6 Days	Under 7 Days a/	7-27 Days	Under 28 Days b/	28-364 Days	Under 1 Year
All Causes.....	118	39	157	42	199	100	299
Infectious and Parasitic Diseases (001-139).....	-	1	1	1	2	3	5
Other Diseases and Disorders (140-739).....	1	4	5	3	8	24	32
Congenital Anomalies (740-759).....	28	16	44	13	57	22	79
Certain Conditions Originating in the Perinatal Period (760-779).....	86	17	103	16	119	5	124
- Maternal Conditions of Pregnancy and Childbirth (760-761,763-764).....	26	2	28	-	28	1	29
- Complications of Placenta, Cord and Membranes (762).....	4	-	4	-	4	-	4
- Immaturity (765).....	30	3	33	-	33	1	34
- Birth Trauma (767).....	1	4	5	1	6	-	6
- Hypoxia and Birth Asphyxia (768).....	1	-	1	-	1	-	1
- Respiratory Distress Syndrome and Other Respiratory Conditions (769-770).....	19	3	22	1	23	2	25
- Infections Specific to the Perinatal Period (771).....	1	-	1	3	4	1	5
- Fetal and Neonatal Hemorrhage (772).....	2	3	5	2	7	-	7
- Other (773-779).....	2	2	4	9	13	-	13
Symptoms and Ill-defined Conditions (780-799).....	1	-	1	8	9	39	48
- Sudden Infant Death Syndrome (798).....	-	-	-	7	7	32	39
- Other (780-797, 799).....	1	-	1	1	2	7	9
External Causes of Injury and Poisoning (E800-E999).....	2	1	3	1	4	7	11

a/Hebdomadal Deaths

b/Neonatal Deaths

Residence data

INFANT DEATHS BY COMPONENT

KANSAS, SELECTED YEARS, 1966-1996




Figure 24

TABLE 29
INFANT DEATHS BY COMPONENT
BY COUNTY OF RESIDENCE
KANSAS, 1996

County of Residence	Hebdomadal Deaths Under 7 Days	Post-Hebdomadal Deaths 7-27 Days	Neonatal Deaths Under 28 Days	Post-Neonatal Deaths 28-364 Days	Total Infant Deaths Under 1 Year
Kansas.....	157	42	199	100	299
Allen.....	-	-	-	-	-
Anderson.....	-	-	-	1	1
Atchison.....	1	-	1	-	1
Barber.....	-	-	-	-	-
Barton.....	2	-	2	2	4
Bourbon.....	1	-	1	-	1
Brown.....	1	1	2	-	2
Butler.....	5	2	7	4	11
Chase.....	-	-	-	-	-
Chautauqua.....	-	-	-	-	-
Cherokee.....	1	-	1	2	3
Cheyenne.....	-	-	-	-	-
Clark.....	1	-	1	-	1
Clay.....	-	-	-	-	-
Cloud.....	1	-	1	1	2
Coffey.....	-	-	-	-	-
Comanche.....	-	-	-	-	-
Cowley.....	4	-	4	-	4
Crawford.....	1	-	1	-	1
Decatur.....	1	-	1	-	1
Dickinson.....	-	-	-	-	-
Doniphan.....	-	-	-	-	-
Douglas.....	4	2	6	5	11
Edwards.....	-	-	-	-	-
Elk.....	-	-	-	-	-
Ellis.....	1	-	1	3	4
Ellsworth.....	-	1	1	-	1
Finney.....	3	2	5	2	7
Ford.....	2	-	2	-	2
Franklin.....	1	-	1	1	2
Geary.....	6	1	7	4	11
Gove.....	-	-	-	-	-
Graham.....	1	-	1	-	1
Grant.....	-	-	-	1	1
Gray.....	-	-	-	-	-
Greeley.....	-	-	-	-	-
Greenwood.....	1	-	1	-	1
Hamilton.....	-	-	-	-	-
Harper.....	-	-	-	-	-
Harvey.....	3	-	3	-	3
Haskell.....	-	-	-	-	-
Hodgeman.....	1	-	1	-	1
Jackson.....	-	-	-	-	-
Jefferson.....	3	1	4	1	5
Jewell.....	1	-	1	-	1
Johnson.....	23	7	30	8	38
Kearny.....	-	-	-	-	-
Kingman.....	-	-	-	-	-
Kiowa.....	1	-	1	-	1
Labette.....	1	-	1	2	3
Lane.....	-	-	-	-	-
Leavenworth.....	3	1	4	1	5
Lincoln.....	-	-	-	-	-
Linn.....	-	2	2	-	2
Logan.....	-	-	-	-	-

TABLE 29
INFANT DEATHS BY COMPONENT
BY COUNTY OF RESIDENCE
KANSAS, 1996

County of Residence	Hebdomadal Deaths Under 7 Days	Post-Hebdomadal Deaths 7-27 Days	Neonatal Deaths Under 28 Days	Post-Neonatal Deaths 28-364 Days	Total Infant Deaths Under 1 Year
Lyon.....	5	-	5	-	5
Marion.....	-	-	-	-	-
Marshall.....	-	-	-	-	-
McPherson.....	-	1	1	-	1
Meade.....	-	-	-	1	1
Miami.....	1	1	2	1	3
Mitchell.....	-	1	1	-	1
Montgomery.....	1	-	1	1	2
Morris.....	-	-	-	-	-
Morton.....	-	-	-	-	-
Nemaha.....	1	-	1	-	1
Neosho.....	-	-	-	-	-
Ness.....	-	-	-	-	-
Norton.....	-	-	-	-	-
Osage.....	2	1	3	-	3
Osborne.....	-	-	-	-	-
Ottawa.....	-	-	-	-	-
Pawnee.....	1	-	1	1	2
Phillips.....	-	-	-	-	-
Pottawatomie.....	1	-	1	-	1
Pratt.....	-	-	-	1	1
Rawlins.....	-	-	-	-	-
Reno.....	4	2	6	3	9
Republic.....	-	-	-	-	-
Rice.....	1	-	1	-	1
Riley.....	2	-	2	2	4
Rooks.....	-	-	-	-	-
Rush.....	-	-	-	-	-
Russell.....	-	-	-	-	-
Saline.....	8	-	8	5	13
Scott.....	-	-	-	1	1
Sedgwick.....	29	9	38	17	55
Seward.....	1	-	1	1	2
Shawnee.....	10	1	11	14	25
Sheridan.....	-	-	-	-	-
Sherman.....	-	-	-	1	1
Smith.....	-	-	-	1	1
Stafford.....	-	-	-	-	-
Stanton.....	-	-	-	-	-
Stevens.....	-	-	-	1	1
Sumner.....	-	-	-	-	-
Thomas.....	1	-	1	-	1
Trego.....	-	-	-	-	-
Wabaunsee.....	-	-	-	-	-
Wallace.....	-	-	-	-	-
Washington.....	-	-	-	-	-
Wichita.....	-	-	-	-	-
Wilson.....	-	1	1	-	1
Woodson.....	-	-	-	-	-
Wyandotte.....	15	5	20	11	31

MATERNAL MORTALITY RATES

KANSAS AND THE U.S., 1966-1996




Figure 25